

Department of Energy

Richland Operations Office P.O. Box 550 Richland, Washington 99352

91-EAB-114

MAY 3 1 1991



Mr. Timothy L. Nord Hanford Project Manager State of Washington Department of Ecology Mail Stop PV-11 Olympia, Washington 98504-8711

Dear Mr. Nord:

REVISION TO THE DANGEROUS WASTE PART A PERMIT APPLICATION FOR THE 4843 ALKALI METAL STORAGE FACILITY (WA7890008967) (S-4-1)

Enclosed is the Dangerous Waste Part A Permit Application Form 3, for the 4843 Alkali Metal Storage Facility (4843 AMSF). The 4843 AMSF is used for the storage of dangerous and mixed alkali metal waste generated on the Hanford Site. This waste management unit will continue to receive and store dangerous and mixed alkali metal waste until the Hanford Central Waste Complex is capable of accepting this type of waste in November 1992. The 4843 AMSF will then be closed as outlined in a closure plan to be submitted to Ecology by June 30, 1991, in fulfillment of the Hanford Federal Facility Agreement and Consent Order Milestone M-20-14.

Form 3, Revision 2, for the 4843 AMSF has been revised to add Dangerous Waste Codes: D001, D002, WT01, and WT02. These dangerous waste codes have been added in compliance with the Washington Administrative Code 173-303. In addition, a new drawing and interior photographs were added to more accurately reflect the current storage area design.



Mr. Timothy L. Nord

-2-

If you have any questions regarding the enclosed permit application revision, please contact Mr. C. E. Clark of the U.S. Department of Energy, Richland Operations Office on (509) 376-9333, or Ms. C. J. Geier of Westinghouse Hanford Company on (509) 376-2237.

Sincerely.

ERD:CEC

E.A. Burken E. A. Bracken, Director Environmental Restoration Division Richland Operations Office

Q & Level

R. E. Lerch, Manager **Environmental Division** Westinghouse Hanford Company

Enclosure: Dangerous Waste Part A Permit Application For the 4843 AMSF

cc: P. T. Day, EPA, w/encl.

D. L. Duncan, EPA, w/encl. R. E. Lerch, WHC, w/o encl.

THE 4843 ALKALI METAL STORAGE FACILITY PART A PERMIT APPLICATION (S-4-1)

This Part A permit application consists of a Form 1 (not revised) and a Form 3, Revision 2, that describes the 4843 Alkali Metal Storage Facility (4843 AMSF) in general terms.

The Part A permit application Form 3, has been revised to address the addition of Dangerous Waste Codes D001 (ignitability), D002 (corrosivity), WT01 (Extremely Hazardous Waste), and WT02 (Dangerous Waste, if less than four pounds). The addition of these dangerous waste codes is based on information provided by the waste management unit that identified these dangerous waste constituents as being stored at the 4843 AMSF. Dangerous waste code D001 was added in accordance with the June 1, 1990, Federal Register which identified sodium metal as ignitable. These dangerous waste codes were added in compliance with the Washington Administrative Code (WAC) 173-303-805. This regulation requires a revised Part A permit application to include any dangerous waste that may be treated or stored at a waste management unit with interim status that has not been previously identified.

The State of Washington Department of Ecology and the U.S. Environmental Protection Agency (EPA) agreed to close the 4843 AMSF on November 26, 1990. A new submittal date of June 30, 1991, was established for the 4843 AMSF Closure Plan. However, this waste management unit will continue to receive and store dangerous and mixed alkali metal waste until the Hanford Central Waste Complex is capable of accepting this type of waste in November 1992.

The following is an overview of the 4843 AMSF Part A permit application, Form 3, contents.

Section I The EPA/State Identification Number - No change.

Section II First or Revised Application - No change.

Section III <u>Processes - Codes and Design Capacities</u> - This section was modified to more accurately reflect the current storage area configuration.

Section IV

Description of Dangerous Waste - This section describes the dangerous waste that is being stored at the 4843 AMSF. In Blocks A and B, four dangerous waste codes (D001, D002, WT01, and WT02) and their estimated annual quantities of dangerous waste were added in accordance with WAC 173-303-805. Table 1 of this explanation provides the dangerous waste number, estimated annual quantities of dangerous waste, and description of chemical constituents. Block C has no changes. Section IV.E., "Description of Dangerous Waste," provides additional details of the dangerous waste stored at the 4843 AMSF.

Section V <u>Facility Drawing</u> - New facility drawings have been added to more accurately reflect the storage area design.

Section VI

<u>Photographs</u> - New photographs have been added to more accurately portray the conditions at the waste management unit.

Section VII

Facility Geographic Location - No change.

Section VIII

Facility Owner - No change.

Section IX

Owner Certification - The certification is signed by the Manager, U.S. Department of Energy-Richland Operations Office (DOE-RL).

The Manager of DOE-RL was changed from Michael J. Lawrence to John D. Wagoner.

Section X

Operator Certification - An attachment is provided to the Form 3 to be signed by the Manager, DOE-RL, as owner/operator and the President, Westinghouse Hanford Company, as co-operator. These signatures certify management's belief that the submitted information is true, accurate, and complete.

The Manager of DOE-RL was changed from Michael J. Lawrence to John D. Wagoner.

The President of WHC was changed from William M. Jacobi to Thomas M. Anderson.

r-

O

TABLE 1 KEY TO DANGEROUS WASTE IDENTIFICATION NUMBERS PART A, SECTION IV

Dangerous Waste <u>Number</u>	Annual Quantity of <u>Dangerous Waste, Pounds</u>	Description of Chemical <u>Constituents</u>
*D001	185,000	Dangerous waste that exhibits characteristics of ignitability (e.g., sodium metal)
*D002	**	Dangerous waste that exhibits characteristics of corrosivity (e.g., sodium metal)
D003	**	Dangerous waste that exhibits characteristics of reactivity (e.g., sodium metal)
*WTO1	.**	Toxic - Extremely Hazardous Waste, state-only designation (e.g., sodium metal)
*WT02	**	Toxic - Dangerous Waste, state-only designation (e.g., sodium metal if less than 4 pounds)

^{* -} New dangerous waste codes** - Included within 185,000 pounds

9152006

ATTACHMENT 2

C.

Ů

*

4۴.

0

Continued from the front.

III. PROCESSES (continued)

SPACE FOR ADDITIONAL PROCESS GODES OR FOR DESCRIBING OTHER CRUCESS (code "TO4"), FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

The 4843 Alkali Metal Storage Facility (4843 AMSF) is used for the storage of alkali metal waste generated from the Fast Flux Test Facility and from various other operations on the Hanford Site that use alkali metals.

The 4843 AMSF currently houses dangerous and mixed alkali metal waste. The dangerous alkali metal waste storage area is separated from the mixed alkali metal storage area by a rope divider. The use of concrete blocks inside the 4843 AMSF provides shielding to protect the environment from radioactive alkali metal waste. Waste storage containers may include steel 5-, 30-, and 55-gallon drums, or sealed piping and sealed components that have been welded closed. The estimated annual quantity of waste has been calculated using design conditions for a maximum storage of 22,000 gallons (185,000 pounds) of alkali metal waste. The 4843 AMSF does not presently contain the estimated quantity; however, there is potential for additional waste to be stored.

IV. DESCRIPTION OF DANGEROUS WASTES

- A. DANGEROUS WASTE NUMBER Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle, if you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describes the characteristics and/or the toxic contaminants of those dangerous wastes.
- 8. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an amual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column 8 enter the unit of measure code, Units of measure which must be used and the appropriate codes

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	 C	200)6
POUNDS	P	KILOGRAMS	 	, ;	×
rons	г	METRIC TONS		, ,	M

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure raking into account the appropriate density or specific gravity of the weste.

D. PROCESSES

PROCESS CODES:

For itsted dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A. select the code(s) from the list of process codes combined in Section III to indicate all the processes that will be used to store, trait, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant,

Note: Fair spaces are provided for entering process codes, if more are needed: (1) Enter the first three as described above: (2) Enter "000" in the extreme right box of flem IV-0(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space growled on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER -- Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- 1. Selections of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns 8, C, and 0 by estimating the total annual quantity of the waste and describing all the processes to be used to Irent, store, and/or discose of the weste.
- 2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste, in column D(2) on that line enter "Included with above" and make no other enters on that line.
- 3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

EXAMPLE FOR COMPLETING SECTION IV (snown in time numbers X-1, X-2, X-3, and X-4 below) — A facility will treat and diagose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing observor, in addition, the facility will treat and diagose of three non—listed wastes. Two wastes are corrosive only and there will be an estimated 300 counds per year of sach waste. The other waste is corrosive and ignitable and there will be an estimated 100 counds per year of that waste. Treatment will be ine finding will be in a familiar and fam

ų.	Ι.		A.				C.	nw.	Τ											O. P	ROCESSES		
20 ·	W	WASTE NO.				B. ESTIMATED ANNUAL GUANTITY OF WASTE	OF MEA- SURE (onthe code)		1. PROCESS CODES (enter)									ES			2. PROCESS DESCRIPTION (if a code is not emergin (f(1))		
X-1	κ	v	1	:	4	900		P	7	. 0	3	1	כ	3	0		1	1	1				
17-2	D	n	0		:	100		Р	7	0	,	l	י	X,	0			1	1				
ز-۲	D	0	0		,	100		Р	7	10	3	1	כ	ĸ	0		3	1	Υ				
۲.4	D	0	0	1					7	0	3	,	י כי	3	0		1	Ι –	1		included with above		

PAGE 2 OF 5

FO	٦.		DANGERO	us W	AST	ΞΙ	∍E!	RM	IJΤ	A	PP	LIC	CA	T	ION	I. EP	A/STATE A 7 8 9			MBE		6 7		
	FOR OFFICIAL USE ONLY APPLICATION OATE RECEIVED																							
	APPLICATION OATE RECEIVED COMMENTS																							
1	-																							
11.	FIRS	Τ (A REVISED APPLICA	TION																				
			A ni sed etanqorqqe ent ni °') k ybaerla voy bna nolteoilqqe													-								
A, F	_	-	ICATION (place en "X" below					•)																
i	_	J 1. (XISTING FACILITY (See instructio Complete item	ns for definition below)	1 08 " 021 <u>8</u> (1	ng''' (ac	aHy.								<u>↓</u> 2. ⋈€₩	FACILIFY (Complete dambi FOR			INFS.				
	FOR EXISTING FACILITIES, PROVIDE THE DATE (mo., day, 4 yr.) O 4 1 0 8 6 OPERATION BEGAN OR THE DATE CONSTRUCTION COMMENCED Uses the posses to the tail.																							
0. A	8. REVISED APPLICATION (place an "X" below and complete Section (above)																							
	צו	1. F	ACILITY HAS AN INTERIM STA	TUS PERMIT	·····										↓ 2. FACI	LTY HAS A	FINAL PERMIT							
111.	PRO	CE	SSES — CODES AN	D DESIGN	Y CAP	ACIT	IES																	
8. 1	A. PROCESS CODE — Enter the code from the list of process codes below that best describes each process to be used at the facility. Ten lines are provided for entering codes, if more lines are needed, enter the code(s) in the space provided. If a process will be used that is not included in the list of codes below, then describe the process (including its design capacity) in the space provided on the (Section III-C). 8. PROCESS DESIGN CAPACITY — For each code entered in column A enter the capacity of the process. 1. AMOUNT — Enter the amount.																							
'			MEASURE — For each emot that are listed below should	be used.							G 1131 (or un		143	na coosi delom wat descur	os meun	APPROPRI					•		
				CESS A	APPROI MEASU!	REF	ORF	OR	CESS							PRO- CESS	MEASURE	FOF	1 PR	OCE:				
_			PROCESS	CODE	DESI	GN (CAP)	ACIT	Υ	•					PROCESS	CODE	DESIGN	CA	PAC	ITY				
ì	DE SELEC		berrei, drum, etc.)	501	GALLO	us na	1175	08				reat ANK		ŧ:		TO1	GALLONS PI	20 C	AV C					
TA	NK ISTE			502 503	GALLO	45 OR	LITE					UTERS PER DAY SURFACE IMPOUNDMENT TO2 GALLONS PER DAY OF												
ì			30111011517		CUBIC	4ETEF	15					(CIN				LITERS PER DAY TOS TONS PER HOUR OR								
•	POS		POUNDMENT	S04	GALLO	45 OR	LITE	HS				METRIC TONS PER HOUF												
	ECTI NOF!		ELL	080 081	GALLOI ACRE-F	EET (ne va	Aurille S	nes						for physical, chemical,		LITERS PER HOUR							
					OR HEC	34 4 /00	43				p	face	3345	100	Hagical Trastment It accurring in Isnks,	TO4 GALLONS PER DAY OR LITERS PER DAY								
			SATION DSAL	083	ACRES GALLO	OR HE	CTA	RES			a	tors.	0 es	crit	ne the processes in									
su	RFAG	:E IMI	POUNOMENT	084	LITERS			RS			(F	the space provided; Section III-C.)												
				UNIT OF MEASURE											UMT OF MEASURE						JMT C EASU			
_	TOF		· · · · · · · · · · · · · · · · · · ·	CODE		_	ØF¥								CODE UNIT OF	TOF MEASURE COOS								
Lif	EAS .			L		70	NS PE	SHO	UFF,,	AUOH					O ACRE F	EET					. A			
CU	UKC MI	I EFIS	DAY	C		G.A	LLON	IS PEP	HOUR	P)	• •		•		ACRES						9			
					·· ·· ·· ·· ·· · · · · · · · · · · · ·																			
E	MAX	PLE	FOR COMPLETING S	ECTION	III (sho	wn i	n lin	e n	umbe	ers	X-1	and	x.	2	below): A facility has	iwa s	torage tank	s,	an e	tank	car	7		
he	ild :	200	gailons and the other	can hold	400 g	allor	ıs. 1	he	lacil	lity :	also	ha:	t a	n i	ncinerator that can b	urn up	to 20 gaile	วกร	per	hou	r.			
н	A. P!	10-	B. PROCESS C	ESIGN CAP	ACITY				FOR	,	N		PRO	,	B. PROCESS	OESIGN	CAPACITY	_		4	FO			
r it	CE	is ,			l	QF M		o.	FFIC	AL	LM	C	ESS						MEA	. ‹)FFIC	TAL.		
HE	(tram	*22	1. AMOU! (specify)			SUI			USE		1 B	(tre	en he	,		CI/Y)			UHE		US			
ER	1001	,				cod	(4)				ER	L .	ova)	_				٠	94 4)	+-				
X-1	s o	2	600			a		П	T	T	5	\Box	П				· · · · · · · · · · · · · · · · · · ·	1	\neg		П			
۲. ۲	7 0	3	20			E	+		_	1	6	П	1			··	·	П	\top	T				
, ,	s	1	22,000)		G	+		+	+	7		7						1	\dagger				
2						+	1		1		S	П	1					П		1				
3						1			-		"							П		T	П			
			· · · · · · · · · · · · · · · · · · ·								10													
														_										

Continued from page 2. MUTE. Photocopy the page before completing if you have more than 28 wastes to ket. I (), NUMBEH (enter from page 1) 9 вl ol ol ol DESCRIPTION OF DANGEROUS WASTES (continued) C. UMT OF MEA-B. PROCESSES L | M | U DANGEROUS E. ESTIMATED ANNUAL GUARITY OF WASTE 1. PROCESS COORS 2. PROCESS DESCRIPTION WASIE NO. (M a news : s red terror or (0; 11) P 51011 Storage/container D 0 0 1 185,000 10101012 1010 3 D ΙIO W 4 Included with above WTO 2 5 6 7 Ħ 9 10 11 12 13 1 14 15 16 17 18 19 20 21 22 23 24 25

ECY 030-21 Form 3 FLE UTILITY

26

PAGE 1....OF 5 female "A" "B" "C" ale some the 12 to destroy photocoping pages

CONTINUE ON REVENSE

Continued from the first	4843 Alkali Metal Storage Facility Rev. 2, 05-31-91, Page 4 of 11
IV. DESCRIPTION OF DANGEROUS WASTES (continued)	
E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION D(1) O	N PAGE 3.
and state-only waste [Extremely Hazardous maximum of 22,000 gallons (185,000 pounds	01), corrosivity (D002), reactivity (D003), Waste (WT01) and Dangerous (WT02)]. A) of dangerous and mixed alkali metal waste IV. B. represents the total amount of alkali
•	-
, *	
V. FACILITY DRAWING	
All existing facilities must include in the space provided on page 5 a scale drawing of	the lacility (see instructions for more detail).
VI. PHOTOGRAPHS	
All existing facilities must include photographs (serial or ground—level) that clearly de sites of future storage, treatment or disposal areas (see instructions for more detail).	
	s provided on the attached drawings and photos
LATITUDE (degrees, minules, & seconds)	LONGITUDE (degrees, minutes, & seconds)
	
VIII. FACILITY OWNER	
A. If the facility owner is also the facility operator as listed in Section VII on Form 1, "G	ieneral information", place an "X" in the box to the left and skip to Section IX below.
8. If the facility owner is not the facility operator as listed in Section VII on Form 1, com	plate the following items:
1. NAME OF FACILITY'S LEGAL OWNER	2. PHONE NO. (area code & na.)
3. STREET OR P.O. BOX	4. CITY OR TOWN 5. ST. 6. ZIP CODE
G. STREET CHICKS DON	4. CITY OR TOWN 5. ST. 6. ZIP COOE
IX. OWNER CERTIFICATION	
I certify under penalty of law that I have personally examined and documents, and that based on my inquiry of those individuals imme submitted information is true, accurate, and complete. I am aware including the possibility of line and imprisonment.	idiately responsible for obtaining the information. I believe that the
NAME (print or type) John D. Wagoner Signature 1	DATE SIGNED
Manager, Richland Operations United States Department of Energy	1. Wagonn 5/3/191
X. OPERATOR CERTIFICATION	

I cartily under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

			_		
NAME (print or type)	4	SIGNATURE			DATE SIGNED
-			•	-	
CEE ATTACUMENT					
SEE ATTACHMENT		_		-	-
					1

ECY 030-31 Form 3 ECL3E -271PAGE 4 OF 5

CONTINUE ON PAGE 5

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents. and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.


Ówner/Operator

John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office

Co-operator

Thomas M. Anderson, President Westinghouse Hanford Company


4843 Alkali Metal Storage Facility Site Plan




343 Alkali Metal Storage Facility, Rev. 2, Page 6 of 11 91121 1127

4843 Alkali Metal Storage Facility

Fully insulated bolted steel building rests on a concrete slab. Two 12-ft roll-up doors used for moving supplies into and out of the building.






46° 26' 10" 119° 21' 43"

39010019.2

3 Alkali Metal Storage Facility Rev. 2, Page 7 of 11


1 | 2 | 3 | 3 | 3 |

4843 Alkali Metal Storage Facility Storage Area Floor Plan



43 Alkali Metal Storage Facility Rev. 2, Page 8 of 11

4843 ALKALI METAL STORAGE FACILITY--400 AREA



46°26'10" 119°21'43"

87044331-2CN (PHOTO TAKEN 1987)

4843 ALKALI METAL STORAGE FACILITY--400 AREA



DANGEROUS ALKALI METAL STORAGE AREA

46°26'10" 119°21'43"

90121329-1CN (PHOTO TAKEN 1990)

4843 ALKALI METAL STORAGE FACILITY--400 AREA



MIXED ALKALI METAL STORAGE AREA

46°26'10" 119°21'43"

90121329-3CN (PHOTO TAKEN 1990)

9152006

ATTACHMENT 3

(* *

**,.

-

() to

CORRESPONDENCE DISTRIBUTION COVERSHEET

Author

0

Addressee

Correspondence No. Incoming 9102465

B. M. Barnes, 6-3640

T. L. Nord, Ecology

Ref. #9152006

Subject: REVISION TO THE DANGEROUS WASTE PART A PERMIT APPLICATION FOR THE 4843 ALKALI METAL STORAGE FACILITY (WA7890008967) (S-4-1)

INTERNAL DISTRIBUTION

Date Name Location	11/0++
B. M. Barnes H4-57 R. J. Bliss B3-04 R. W. Bloom N1-36 R. C. Bowman H4-57 L. C. Brown H4-51 G. D. Carpenter B2-16 C. B. Dean L6-40 J. J. Dorian H4-15 B. G. Erlandson B2-19 C. J. Geier H4-57 J. L. Gilbert L6-40 E. M. Greager L6-60 W. H. Hamilton Jr. N3-10 R. J. Landon B2-19 R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	w/att
R. J. Bliss B3-04 R. W. Bloom N1-36 R. C. Bowman H4-57 L. C. Brown H4-51 G. D. Carpenter B2-16 C. B. Dean L6-40 J. J. Dorian H4-15 B. G. Erlandson B2-19 C. J. Geier H4-57 J. L. Gilbert L6-40 E. M. Greager L6-60 W. H. Hamilton Jr. N3-10 R. J. Landon B2-19 R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
R. W. Bloom N1-36 R. C. Bowman H4-57 L. C. Brown H4-51 G. D. Carpenter B2-16 C. B. Dean L6-40 J. J. Dorian H4-15 B. G. Erlandson B2-19 C. J. Geier H4-57 J. L. Gilbert L6-40 E. M. Greager L6-60 W. H. Hamilton Jr. N3-10 R. J. Landon B2-19 R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
R. C. Bowman H4-57 L. C. Brown H4-51 G. D. Carpenter B2-16 C. B. Dean L6-40 J. J. Dorian H4-15 B. G. Erlandson B2-19 C. J. Geier H4-57 J. L. Gilbert L6-40 E. M. Greager L6-60 W. H. Hamilton Jr. N3-10 R. J. Landon B2-19 R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
L. C. Brown G. D. Carpenter G. D. Carpenter B2-16 C. B. Dean L6-40 J. J. Dorian H4-15 B. G. Erlandson B2-19 C. J. Geier H4-57 J. L. Gilbert L6-40 E. M. Greager L6-60 W. H. Hamilton Jr. N3-10 R. J. Landon R. J. Landon B2-19 R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
G. D. Carpenter C. B. Dean J. J. Dorian B2-19 C. J. Geier H4-57 J. L. Gilbert E. M. Greager W. H. Hamilton Jr. R. J. Landon R. J. Landon R. E. Lerch (Assignee) R. E. Lerch L. W. Roberts R. J. Roberts R. Roberts	
C. B. Dean L6-40 J. J. Dorian H4-15 B. G. Erlandson B2-19 C. J. Geier H4-57 J. L. Gilbert L6-40 E. M. Greager L6-60 W. H. Hamilton Jr. N3-10 R. J. Landon B2-19 R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
J. J. Dorian H4-15 B. G. Erlandson B2-19 C. J. Geier H4-57 J. L. Gilbert L6-40 E. M. Greager L6-60 W. H. Hamilton Jr. N3-10 R. J. Landon B2-19 R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
B. G. Erlandson C. J. Geier H4-57 J. L. Gilbert E. M. Greager H6-60 W. H. Hamilton Jr. N3-10 R. J. Landon B2-19 R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz A. R. Sherwood B2-19 R. G. Stickney N3-11	
C. J. Geier H4-57 J. L. Gilbert L6-40 E. M. Greager L6-60 W. H. Hamilton Jr. N3-10 R. J. Landon B2-19 R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
J. L. Gilbert L6-40 E. M. Greager L6-60 W. H. Hamilton Jr. N3-10 R. J. Landon B2-19 R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
E. M. Greager L6-60 W. H. Hamilton Jr. N3-10 R. J. Landon B2-19 R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
W. H. Hamilton Jr. N3-10 R. J. Landon B2-19 R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
R. J. Landon B2-19 R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
R. E. Lerch (Assignee) B2-35 R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
R. D. Pierce N3-13 S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
S. M. Price H4-57 L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
L. W. Roberts T3-28 R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
R. J. Roberts N3-13 L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
L. D. Schwartz L6-40 A. R. Sherwood B2-19 R. G. Stickney N3-11	
A. R. Sherwood B2-19 R. G. Stickney N3-11	
R. G. Stickney N3-11	
√ (物語 8) 月報(株本)	
/ 『記録』 J. F. Williams Jr. H4-57	
JUN 1 4 100 - 12 B. D. Williamson B3-15	
B. L. Vedder B2-19	
CORRESPONDENCE 3	
CONTROL BMB/LB H4-57	

Attachments same as letter #9152006